(Page 1 of 2)

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-23-215 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: VHN3.0VJGKFK <u>Displacement</u>: 3.0 Liters (182 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Dual Three Way Catalytic Converters Dual Heated Oxygen Sensors (Two) Exhaust Gas Recirculation Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20°F)</u>	
50,000	0.25	3.4	0.4	10.0	
100,000	0.31	4.2	0.6	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20°F)</u>	
50,000	0.13	1.2	0.1	4.9	
100,000	0.16	1.3	0.1	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this Aday of December 1996.

mufill

R. B. Summerfield, Chief Mobile Source Operations Division

## 1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-25-215
Page 1 of 1

Ma:	nufacturer:	HONDA						
Ex	h Engine Fam	ily: <u>VHN3.0VJG</u>	<u>KFK</u>					
Al	l Eng Codes	in Eng Fam: CA	49	s	_ 50S <u>X</u> _	AB965	EDN Tier-1 Y	
Ex	h std: CA Ti	er-1 <u>X</u> TLEV	I	'EV	OPEA	_ ZEV; US	EFA IICL-I _A	<del></del>
In	-Use Exh Std	l: Full In Use	X Al	t In	Use			
EV	AP Engine Fa	mily: <u>VHN1094A</u>	YMEX					
Εv	ap Std.: 50K	CUseful L	ife wit	h R/I	<u> </u>	ro MDIT	MDVIA MDV	75
Ve	h Class(es):	PC X LDT1	_ LDT2	;	MDV1 MD	/2 MDV3		<del></del>
		3 for Mailes (*)	acc Enc	r Fram	• N/A			
Fu	el Type(s):	Dedicated X	Flex-	Fuel	Dual-Fi	iei pr-ro	hor	
		D: 1 (1)	JC:	LNG	فاطدا	1419.5	,11C-L	
Εm	uiss Test Fue	$\begin{array}{c} \text{Dieser} & \underline{\qquad} & \text{Ci} \\ \text{el(s): Indo} & \underline{\qquad} \end{array}$	Ph2	'	CNG LPC	M85	Other	
Di	.esel: 13 CCF	2 2282 40	CFR 86	.113-	90 40 (	JFR 86.113-94		
Se	rvice Accum:	: Std AMA	Mod AM	4 <u>X</u>	Mfr ADP	Other	TURD Y DE SOL	rce
NM	10G Test Prod	edure: N/A _X	_ Std	Eq	uiv R/I	L Test Proc: s	MED _A_ FC DOC	
T.T.	thrid. Time 1	л В (		APU ·	Cycle:			
En	ngine Configu	ration: v6 Di	isplace	ment:	3.0 Liter	s <u>187</u> copic ii	ICHES	
		ا مساسدات	read WD	• 252	/6600 RPM			יים - ר
Er	ngine: Front	Inder: _4 Ra	Rear _	D	rive: FWD _	RWD _A_ *	EMD-FI THI	· · · · · · · · · · · · · · · · · · ·
E۶	khaust ECS: 2	2TWC/2H02S(2)/1	EGR/SFI					
								Catalytic
Ţ					553	Ignition (ECM/ECM)	EGR System	
	_	Vehicle Models	Trans.	ETW	DPA	Part No.	Part No.	Part No.
	Code			2275	7.8 (BS/YH)	ICM:	EGR Valve: 10V	
	VAB3/1 (50S)	NSX	L4	33/5	1	MC-8430		Rear : EK

3500

NSX-T

MC-8430 ECM:

37820-PR7-A42

ISSUED: 10/10/96